

INDUSTRY GUIDE




>Distribution
Center

>Solutions for
efficient distribution

DISTRIBUTION CENTER

Handles incoming material and induction into automation system

Maintains inventory for future order fulfillment




RECEIVING

STORAGE

ORDER FULFILLMENT

Pick and transport items for every order

Datalogic offers the most extensive solution portfolio for improving processes within any distribution center. The automation of a distribution center can provide substantial benefits and significant labor savings. All stages of material handling have the potential for increased efficiency; from the Receiving Area, where implementing an automated cross-docking process can bypass storage



TRANSPORT

SHIPPING

Move material quickly and accurately throughout the distribution center

Processing of each order to ensure accurate delivery to the final destination

and inventory entirely; to the Shipping Area, where integrated manifesting systems ensure the lowest cost shipping carriers are used. Inside the four walls of a distribution center, automated storage and order fulfillment systems can deliver substantial operating savings, while providing improved accuracy and a safer operating environment.

RECEIVING



DETECTION



S300



S3Z


S3Z PRESENCE SENSOR

Detect items on unloading conveyors.

S300 PRESENCE

Detect cartons being unpacked by robotic de-palletizers.

PROTECTION



SG EXTENDED

SG EXTENDED

SG EXTENDED SAFETY LIGHT CURTAINS

Protect fingers, hands and bodies from Label Print & Apply Systems.

SG EXTENDED SAFETY LIGHT CURTAINS

Prevent Operator ingress for full protection around robotic de-palletizing area.

ID TRACK AND TRACE



NVS9000™



MATRIX 450™



DX8210

DS8110, DX8210N, MATRIX 450, NVS9000

Read vendor bar codes from all sides of incoming containers.

DS4800, AL5010

Capture incoming pallet bar codes, from forklifts, in all environments.

Automated receiving stations reduce labor and increase processing volumes by identifying the products, report information to the host system (WMS/ERP/MRP), receive against an order to the vendors/customer, host system decision, label printing, cross docking, or palletizing / depalletizing stations with optional dimensioning and weighing.



AL5010



DS4800



MATRIX 410N™

DS4800, AL5010, MATRIX 410N

Verify bar code information and track product location, after Label Print and Apply Station.

AL5010, DS6300/6400 OSCILLATING MIRROR, DS48000M, MATRIX 410N, MATRIX 450

Identify pallet bar code in robotic de-palletizing area.



S85



DM3610



DS2

DIMENSION / WEIGH / SCAN

DM3610

Dimensions incoming freight for vendor verification and spatial planning.

DM3610, DS SERIES MEASUREMENT LIGHT ARRAY

Communicate volume and dimensional information to automated receiving station for high performance, high volume, mixed shipment receiving.

FAST LABEL

Controls and manages subsystems for identifying, printing, weighing, dimensioning and communicating with host systems.

S85 SERIES TIME OF FLIGHT DISTANCE SENSOR

DS2 SERIES MEASUREMENT LIGHT ARRAY

Communicate distance and height information to Label Print and Apply System, for proper label application to top of cartons.

TRANSPORT



DETECTION



P-SERIES

S3Z

S100


S3Z/S100 PRESENCE SENSORS PRESENCE SENSOR

Detect items for decision point identification.

P-SERIES

Detect item presence on conveyors, in totes, or on tilt trays.

PROTECTION



SG EXTENDED

SG EXTENDED SAFETY LIGHT CURTAINS
Protect operators near & along accessible lengths of conveyor.

ID TRACK AND TRACE




DS210N0
DS2400N

DS8110

DX8210

DS210N0/DS2400N/DS4800/DS8110/DX8210
Read tote and carton bar codes. Analyze captured bar code images to re-direct totes with degrading



Move items throughout the distribution center, safe, fast and accurately. Adjust for items in cases, oversized items, and small items. Transport of items may include multiple conveyor technology types, including high speed conveyance for cross docking applications.

XRF410N MATRIX 410N™
 MATRIX 300N™ MATRIX 450™

XRF410N/MATRIX 300/MATRIX 410N/MATRIX 450 codes to service lane, before they negatively affect performance.

DIMENSION

S85 DS2

S85 SERIES TIME OF FLIGHT DISTANCE SENSOR
DS2 SERIES MEASUREMENT LIGHT ARRAY
 Measure & control the height of items being conveyed, to ensure protection of material handling systems.

STORAGE



DETECTION



S80

S80 DISTANCE SENSOR
Provides position feedback for control of automated cranes.

PROTECTION



SG BODY BIG

SG BODY BIG SAFETY LIGHT CURTAINS
Prevent Operator ingress for full protection around robotic crane area of Automated Storage and Retrieval System.

ID TRACK AND TRACE



DS4800



AL5010



MATRIX 410N™



XRF410N



DS210N0N
DS2400N

DS4800, AL5010, MATRIX 410N, XRF410N
Verify bar code information and track product location, after Label Print and Apply Station.

DS2100N, DS2400N
Identify tote or parcel to be sent into storage area.

Storage systems handle inventory for cases, totes or pallets including food items in refrigerated environments. Items are moved from storage to order fulfillment, and may return to storage again. Automated Storage and Retrieval Systems handle cases or totes with fully automated crane and conveyor systems. Manual storage locations may hold break case inventory.




FAST Label
FLEXIBLE AUTOMATION SOLUTION TOOLS



LP&A

FAST LABEL AND LABEL PRINT & APPLY
Apply new shipping label upon exit from storage area.

DIMENSION



DM3610

DM3610
Measures materials being stored for product verification.

ORDER FULFILLMENT



Processing of single or multiple orders, by filling shipping containers with the correct items. Order fulfillment can handle items at the case level or unit level, depending upon the operation. Fulfillment may also include packing, manifesting and applying the shipping label for destination.

DETECTION



S3Z/S100 PRESENCE SENSOR
Detect items in conjunction with scanners, for tracking cases in a multilevel pick modules. Trigger Print & Apply system.

PROTECTION



SG EXTENDED SAFETY LIGHT CURTAINS
Protect operators near & along accessible lengths of conveyor.

ID TRACK AND TRACE



MATRIX 410N, MATRIX 450
Verify manual picking of correct product when using pick to light solutions.
DS2400N, DS2100N, DS4800 with GFC, MATRIX 210N
Provide routing and verification of totes and cartons conveyed in multi-level pick modules.



MATRIX 210N™

MATRIX 410N™

DS210N0N
DS2400N

MATRIX 210N, MATRIX 410N, MATRIX 450, DS4800, AL5010, DS2400N
Verify bar code information and track product location, after Label Print and Apply Station.

AL5010, DS4800 w/ OM, 6K
Verify barcode information on the side of pallets.

DIMENSION

S85

DM3610

DS2

S85 SERIES TIME OF FLIGHT DISTANCE SENSOR
Dimension carton for label print and apply system.

DM3610
Dimension carton for DWS and labeling system.

SHIPPING



Sortation systems identify the shipping carton and conveys it to the correct shipping lane. Manifesting systems ensure accurate labelling and lowest cost shipping carriers based on dimensional, weight, and destination information.

DETECTION



S3Z/S100 PRESENCE SENSOR
Detect items in conjunction with scanners, for tracking cases in a multilevel pick modules. Trigger Print and Apply system.

PROTECTION



SG EXTENDED SAFETY LIGHT CURTAINS
Protect operators near & along accessible lengths of conveyor.

ID TRACK AND TRACE



DS8110, DX8210, MATRIX 450, NVS9000
Provide sortation direction from shipping label information read from any side of carton.



A/T/P SERIES, MATRIX 410N, MATRIX 450, XRF410N
 Record evidential proof on contents of a container before taping or at trailer load with Vision & ID systems.

DIMENSION



DM3610
 Dimension outgoing freight for trailer utilization / spatial management.

DIMENSION, WEIGH & SCAN / LABEL, PRINT & APPLY
 Provide Automated solution for labeling cartons based on lowest cost carrier using dimensional, weight and destination information. Ensure accuracy of correct shipping label, to reduce errors.

HEADQUARTERS

DATALOGIC AUTOMATION SRL

Via Lavino, 265
40050 Monte San Pietro - Bologna - Italy
Tel: +39 051/6765611
info.automation.it@datalogic.com

BRANCHES AND SALES OFFICES

EUROPE

BENELUX

DATALOGIC AUTOMATION BENELUX

Newtonweg 3
4104 BK Culemborg - The Netherlands
Tel. +31 345/589489
info.automation.nl@datalogic.com

FRANCE

DATALOGIC AUTOMATION SRL

Succursale en France
Le Parc Technologique de Lyon
333 cours du 3ème Millénaire - Le Pôlé
69800 Saint Priest
Tél. +33 (0)4/72476180
info.automation.fr@datalogic.com

GERMANY

DATALOGIC AUTOMATION SRL

Niederlassung Central Europe
Gottlieb-Stoll-Straße 1,
73271 Holzmaden
Tel. +49 7023 7453-100
info.automation.de@datalogic.com

ITALY

DATALOGIC AUTOMATION ITALY

Via Lavino, 265
40050 Monte San Pietro - Bologna
Tel. +39 051/6765611
info.automation.it@datalogic.com

Via Le Gorrey, 10 11020, Donnas - Aosta
Tel. +39-0125-8128201
info.automation.it@datalogic.com

Via Taormina 1
20093 - Cologno Monzese (MI) Italy
Tel. +39 02 25151211
info.automation.it@datalogic.com

SPAIN

DATALOGIC AUTOMATION IBERIA

Sucursal en España
C/ Frederic Mompou 4 esc A, 4º puerta 3ª
08960 Sant Just Desvern - Barcelona
Tel. +34 (0)93/4772059

NORDIC

DATALOGIC AUTOMATION AB

Höjdrodergatan 21
21239 Malmö - Sweden
Tel. +46 (0)40/385000
info.automation.se@datalogic.com

UNITED KINGDOM

DATALOGIC AUTOMATION UK

Datalogic House
Dunstable Road, Redbourn - Hertfordshire
AL3 7PR
Tel. +44 (0) 1582 791750
info.automation.uk@datalogic.com

TURKEY

Datalogic ADC Turkey

No:16 Neo Vista Sitesi C1 Blok D.7
Gokturk/Kemerburgaz
34077 - Istanbul, Turkey
info.adc.tr@datalogic.com

NORTH AMERICA

DATALOGIC AUTOMATION INC

511 School House Road
Telford, PA 18969-1196 - United States
Tel. +1-800-BAR-CODE or +1-215-723-0981
info.automation.us@datalogic.com

DATALOGIC AUTOMATION INC Machine Vision

5775 W Old Shakopee Rd
STE 160, Bloomington, MN 55437
United States
Tel. +1-952-996-9500
info.automation.us@datalogic.com

SOUTH AMERICA

Datalogic Brazil

Avenida Olivio Roncoletta, 465
Bairro Vila Hortolandia Jundiã (SP), Brazil
Tel. +55 11 29232600
info.automation.br@datalogic.com

APAC

Australia-New Zealand

DATALOGIC AUTOMATION PTY LTD

Unit 130, 45 Gilby Road
Mt Waverley - Victoria, 3149 - Australia
Tel. +61 (0)3/95589299
info.automation.au@datalogic.com

CHINA

DATALOGIC AUTOMATION ASIA

2nd Floor, 10 Building, Dayuan Industrial Zone,
No.1, Pingshan 1st Road,
Liuxuan Blvd. Xili, Nanshan District,
518054, Shenzhen, China
Tel: +86 (0)755-8629 6779
info.automation.cn@datalogic.com

Suite 1301, Hua Rong Plaza,
1289 South Pudong Road, Pudong District
Shanghai 200120
Tel: +86 (0)21-5836 6692
info.automation.cn@datalogic.com

Floor 20, Room 2019, Building 2,
16 West Nan San Huan Road
Fengtai District, Beijing
Tel: +86 (0)10-8757 6375
info.automation.cn@datalogic.com

1202, Excellence Build, 128 Yanji Road,
Shibei District, Qingdao, China
Tel: +86 (0)532 55787889

JAPAN

IDEC AUTO-ID SOLUTIONS CORPORATION

8-10, Shioe 5-chome, Amagasaki Hyogo,
Japan 661-0976
Tel. +81-6-7711-8880
www.idec.com

Rev. 01, 07/2015

Product and Company names and logos referenced may be either trademarks or registered trademarks of their respective companies. We reserve the right to make modifications and improvements.



www.datalogic.com